

**YARD** collection

**Vintage geometrical patterns.  
For more spacious settings.**

Geométrica vintage.  
Espacios amplios.








# FS Yard

Single Fired Floor Tiles

Black | Blue | Sage



45 \* 45 \* 1,05 cm  
18 \* 18"







**FS Yard** Sigle fired floor tiles

FS YARD BLUE \_ FS IVY BLUE \_ D. FS FRINGE BLUE






FS YARD Black



FS YARD Blue



FS YARD Sage



D. FS FRINGE Black



D. FS FRINGE Blue



D. FS FRINGE Sage




FS-0

13 patterns



D. FS FRINGE White

FS YARD



45 \* 45 \* 1,05 cm | 18 \* 18"

NO RECTIFIED	NATURAL PRICE CODE BN14
FS YARD BLACK	26173
FS YARD BLUE	26174
FS YARD SAGE	26175
FS-0	13305

D. FS FRINGE



12 \* 24 cm | 5 \* 9"

NO RECTIFIED	NATURAL PRICE CODE P6
D. FS FRINGE BLACK	26335
D. FS FRINGE BLUE	26334
D. FS FRINGE SAGE	26336
D. FS FRINGE WHITE	26333

**PIEZA COMPLEMENTARIA**  
COMPLEMENTARY PIECE  
\*Pedido mínimo 10 unidades | Minimum order 10 items

Rodapie - Skirting

R. FS-0

8 \* 45 cm | 3 \* 17 3/4" P8

**CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS**

joint 1,5 mm	versatile	matt
diferent shades	shade variation	various graphics

**CARACTERÍSTICAS TÉCNICAS ANTIDESLIZAMIENTO | ANTI-SLIP CHARACTERISTICS**

Ensayo   Essay	Características   Features	Resultado   Result
DIN 51130	Ángulo crítico (Pies calzados)   Critical angle (footwear)	R9
DIN 51097	Ángulo crítico (Pies descalzos)   Critical angle (Wet loaded barefoot)	—
BS 7976-2	Antideslizamiento (Test del péndulo)   Slip resistance (Pendulum test)	+36 Wet
UNE-ENV 12633	Antideslizamiento (Test del péndulo)   Slip resistance (Pendulum test)	Class 1
ANSI A.1371:2012	Coefficiente de Fricción Dinámico   Dynamic Coefficient of Friction (DCOF)	>0,42
ISO 10545-7	Resistencia a la Abrasión Superficial/Resistance to Surface Abrasion	PEI 4

**EMBALAJE | PACKING**

Formato   Sizes	Cajas   Boxes			Pallet			Cont./20' 21500 kg.	Cont./20' 24000 kg.	
	Piezas	m <sup>2</sup> / sq.m	kg	Cajas	m <sup>2</sup> / sq.m	kg			Tamaño cm aprox.
cm									
45 * 45 * 1,05	5	1,00	23,14	66	66,00	1552,24	102 * 80 * 105	914,16	1020,46
inch									
17 3/4 * 17 3/4 * 7/16	5	10,76	50,91	66	710,42	3414,93	40 3/16 * 31 1/2 * 41 5/16	9839,96	10984,14

**FS Yard** Sigle fired floor tiles

FS YARK BLUE \_ FS IVY BLUE \_ D. FS FRINGE BLUE