


JAPANESE TILE WORLD

NAGI

Tiles with a nostalgic hue and a presence that is given by the thickness of the tiles, which create a calm and serene space.



MADE IN JAPAN 2025 vol.01

NAGI INAXTILE.COM



IM-2325P1/NGB-4



IM-2325P1/NGB-2 IM-2325P1/NGB-3

MADE IN JAPAN 2025 vol.01

NAGI INAXTILE.COM


FIELD



Field Tile IM-2325P1/NGB-1···NGB-11

Material	Porcelain/Glazed		
Size/pc	222×22 mm / 8.74"×0.87"		
Size/sht	227×300 mm / 8.94"×11.81"		
Thickness	10 mm		
Joint	3 mm (Hor) / 5 mm (Vert)		
Sqr/Box	1.08 sqm / 11.40 sq.ft.		
Qty/Box	16 shts		
Wgt/Box	23 kg / 50.7 lbs		
Mounting	Back net (Glass fiber)		

NGB-11 Black Mix




MADE IN JAPAN 2025 vol.01

NAGI INAXTILE.COM

RECOMMENDATIONS

Commercial Wall	Interior Wall	Shower Wall	Exterior Floor	Shower Floor
Yes	Yes	Yes	No	No

SHADE VARIATIONS



^{*}Please note: variations in color, shade, surface texture and size are natural characteristics of all our products and should be expected. Images shown are representative, but may not indicate all variations in these characteristics.

MAINTENANCE

- First, clean tiles with a damp sponge or soft brush with plain water prior to utilizing
- If dirt persists, wipe the area with mild detergent and water on a sponge or soft brush. Rinse with clean water.
- Do not use acid or alkaline solution to clean tile.
- Do not use steel pads or brushes to clean tile as it may cause surface damage.
- Paint or graffiti can be removed using thinners.
- Consult professional service for more extensive cleaning needs.

For more details, use visit our website.

please visit our website.