



Roca

Origin



Origin Moss 3"x6"



Origin Cloud 3"x6"

Origin

Inspired by the essence of nature and the elements that shape our world, Origin reflects the beauty found in raw textures, earthy tones, deep waters, endless skies, and volcanic landscapes.

Each color was thoughtfully created to evoke a feeling, a place, and a connection to the origins of life through a handcrafted and contemporary expression.

Ceramic Wall

 | 4"x4" - 3"x12" - 3"x6"

Origin

Ceramic Wall

4"x4"

10.95x10.95 cm




Cloud

4"x4" Bright



Sandstone

4"x4" Bright



Aqua


4"x4" Bright

Origin

Ceramic Wall

4"x4"

10.95x10.95 cm



Moss

4"x4" Bright



Sunset

4"x4" Bright



Marine

4"x4" Bright

Origin

Ceramic Wall

7-7.3

mm

B

V2

25%

RECYCLED

3"x12"

7.72x30.47 cm

3"x6"

7.70x15 cm

Cloud

3"x12" Bright

3"x6" Bright

Sandstone

3"x12" Bright

3"x6" Bright

Aqua

3"x12" Bright

3"x6" Bright

6 Origin

Origin

Ceramic Wall

7-7.3

mm

B

V2

25%

RECYCLED

3"x12"

7.72x30.47 cm

3"x6"

7.70x15 cm

Moss

3"x12" Bright

3"x6" Bright

Sunset

3"x12" Bright

3"x6" Bright

Marine

3"x12" Bright

3"x6" Bright

Origin 7

Origin

Ceramic Wall

Technical Specifications

CHARACTERISTICS	STANDARD	DECLARED ASTM
Water Absorption	ISO-10545/3	<7.0% <wa 20%
Break Strength	ISO-10545/4	≥125 lbf
Chemical Resistance	C650	Unaffected
Frost Resistance	C1026	Unaffected
Thermal Shock Resistance	ISO-10545/9	Resistant
Crazing Resistance	ISO-10545/11	Resistant
Group	See FAQ's	1
PEI	C1027	Not Applicable
Dynamic Coefficient of Friction (DCOF)	A326.3	Not Applicable
Shade and Texture Rating	CTDA	V2
Facial Dimensions	C499	Pass
Range of Thickness	C499	Pass
Warpage	C485	Pass
Wedging	C502	Pass

Packaging Info

Size	SF per carton	PC per carton	BX per pallet
3"x12"	12.65	50	84
3"x6"	10.24	80	76
4"x4"	10.00	80	55

Recommended Applications



INDOR
WALLS



SHOWER
WALLS



STEAM ROOM
WALLS