


JAPANESE TILE WORLD

YUKASUMI

Concave tiles with a sophisticated matt glaze and muted colors that create an elegant atmosphere.



YUKASUMI INAXTILE.COM



IM-1525P1/KSM-4



IM-1525P1/KSM-1 IM-1525P1/KSM-3

INAXTILE.COM


FIELD



KSM-1 White



KSM-2 Black




KSM-3 Dark Green



KSM-4 Grey

Field Tile IM-1525P1/KSM-1~KSM-4

| Material | Porcelain/Glazed | | |
|-----------|----------------------------|--|--|
| Size/pc | 147×22 mm / 5.79"×0.87" | | |
| Size/sht | 300×300 mm / 11.81"×11.81" | | |
| Thickness | 8 mm | | |
| Joint | 3 mm | | |
| Sqr/Box | 1.60 sqm / 16.79 sq.ft. | | |
| Qty/Box | 18 shts | | |
| Wgt/Box | 23 kg / 50.6 lbs | | |
| Mounting | Back net (Paper) | | |




YUKASUMI INAXTILE.COM

RECOMMENDATIONS

| Commercial Wall | Interior Wall | Shower Wall | Exterior Floor | Shower Floor |
|-----------------|---------------|-------------|----------------|--------------|
| Yes | Yes | Yes | No | No |

SHADE VARIATIONS



^{*}Please note: variations in color, shade, surface texture and size are natural characteristics of all our products and should be expected. Images shown are representative, but may not indicate all variations in these characteristics.

MAINTENANCE

- First, clean tiles with a damp sponge or soft brush with plain water prior to utilizing
- If dirt persists, wipe the area with mild detergent and water on a sponge or soft brush. Rinse with clean water.
- Do not use acid or alkaline solution to clean tile.
- Do not use steel pads or brushes to clean tile as it may cause surface damage.
- Paint or graffiti can be removed using thinners.
- Consult professional service for more extensive cleaning needs.

For more details, please visit our website.